Draft Zoning By-law Table/List of Requested Site-Specific Exemptions

Overview

The Subject Site is zoned General Commercial 3 (C3-66 & C3-2) under the Mississauga Zoning By-law 0225-2007. The commercial zoning regulation permits a range of uses such as retail, restaurants, personal service establishments, office, recreation establishments, among others. It is important to note that the site-specific permissions on the site do allow for residential uses within the eastern portion of the site based on a site-specific exception discussed further below.

Exception C3-2 pertains to the eastern half of the Subject Site which allows for live-work units to be located on the second floor of a building in accordance with the following: a maximum combined gross floor area for non-residential and gross floor area for live/work units is 24,030 square metres.

The C3-66 designation applies to the western half of the subject site and implemented additional permitted and non-permitted employment uses. The exception allows uses from the Employment Zone category E2 to be permitted, excluding uses that emit noxious fumes. Non-permitted uses included asbestos manufacturing, cement manufacturing and other potential toxic manufacturing processes. It should be noted that while the C3-66 does not explicitly indicate residential permissions, a review of existing tenants within the building has revealed that there are residential units within the building municipally known as 1590 Dundas Street East.

The following provides an overview of the existing and proposed zoning regulations on a Block by Block basis. Schedule 1 indicates the proposed zoning changes which are discussed in detail below. Height Maps 1 to 5 are included following the Zoning Comparison Tables and outline the maximum height permissions for the proposed buildings, excluding mechanical elements, projections, and encroachments, as defined in the Tables below.

Block A

Block A is currently zoned C3-66 (General Commercial – Specific Exception 66) with western portions of the existing block identified as Greenlands Overlay as per Zoning Map 12 of Mississauga By-law 0225-2007.

The Zoning By-law Amendment proposes to rezone to lands from C3-66 (General Commercial – Specific Exception 66) to RA5-XX (Residential Apartment Zone 5 – Specific Exception XX) in order to permit the proposed mixed use development of the block, which will feature high density residential, and retail uses. The Table below provides and overview of the base permissions of the C4 Zone and how the site specific exception RA5-XX responds for Block A.

Block B (Park)

Block B is currently zoned C3-66 (General Commercial – Specific Exception 66) and is located in the southwest corner of the subject site. The Zoning By-law Amendment proposes to rezone to lands from C3-66 (General Commercial – Specific Exception 66) to OS1 (Open Space – Community Park) in order to permit the proposed community park including both passive and active recreation facilities. The Table below provides and overview of the base permissions of the OS1 Zone and how proposed OS1 zone responds for Block B.

Block C

Block C is currently zoned C3-66 (General Commercial – Specific Exception 66) including the existing western portions of the block identified as Greenlands Overlay as per Zoning Map 12 of By-law 0225-2007. The Zoning By-law Amendment proposes to rezone to lands from C3-66 (General Commercial – Specific Exception 66) to RA5-XX (Residential Apartment Zone 5 – Specific Exception XX) in order to permit the proposed mixed use development of the block, which will feature high density residential, retail and community uses. The Table below provides and overview of the base permissions of the RA5 Zone and how the site specific exception RA5-XX responds for Block C.

Block D

Block D is currently zoned C3-66 (General Commercial – Specific Exception 66) and generally constitutes the western portions identified as a part of the Greenlands Overlay as per Zoning Map 12. Block D is identified as Natural Hazards in which no development activity, below grade or above grade, will take place. As such, the Zoning By-law Amendment proposes to rezone to lands from C3-66 (General Commercial – Specific Exception 66) to G1 (Greenlands - Natural Hazards), thereby increasing the total area buffer area between the development and the Little Etobicoke Creek as well as facilitating conservation of natural heritage features. The Table below provides and overview of the base permissions of the G1 Zone and how the proposed G1 Zone responds for Block D.

Block E

Block E is currently zoned C3-2 (General Commercial – Specific Exception 2) which fronts onto Dundas Avenue East and occupies the north portion of the east block of the subject site. The Zoning By-law Amendment proposes to rezone to lands from C3-2 (General Commercial – Specific Exception 2) to RA5-XX (Residential Apartment Zone – Specific Exception XX) in order to permit the proposed mixed use development of the block, which will feature high density

residential, and retail uses. The Table below provides and overview of the base permissions of the C4 Zone and how the site specific exception RA5-XX responds for Block E.

Block F and G

Block F and G are also zoned C3-2 (General Commercial – Specific Exception 2). The Zoning By-law Amendment proposes to rezone to the lands from C3-2 (General Commercial – Specific Exception 2) to RA5-XX (Residential Apartment Zone 5 – Specific Exception XX) in order to permit the proposed residential development blocks, which will feature high density residential, mid-rise buildings and back to back townhouses. The Tables below provide an overview of the base permissions of the RA5 Zone and how the site specific exception RA5-XX responds for Block F and G.

Maximum Gross Floor Areas

The lands subject to this by-law are permitted to accommodate a maximum gross floor area in accordance with the following:

Overall GFA – 220,012

- Residential GFA 211,994
- Non-residential GFA 6,094
- Community GFA 366

Table 1
Block A: Existing and Proposed Zoning – C3-66 to RA5

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
2.0	Permitted Use	Apartment	Apartment Dwelling
		Long-Term Care Building	Grade-related Retail Space
		Retirement Building	
3.0	Minimum Lot Frontage	30.0 m	30.0 m
4.0	Minimum Floor Space Index	1.9	1.9
5.0	Maximum Floor Space Index	2.9	6.76
6.0	Maximum Gross Floor Area –	1000 m ²	Total GFA - 71,460 m2
	Apartment Zone per Storey for each		Retail – 1,271 m2
	Storey above 12-storeys		Residential – 70,189 m2
7.0	Maximum Height	77.0 metres and 25-storeys	Building A1 15-storeys (51.1* metres) Building A2 29-storeys (95.9* metres) Building A3
			*excludes mechanical elements and roof assemblies
8.0	Minimum Front and Exterior Side Yard	ls	(North and east)

DRAFT November 2023

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
	For that portion of the dwelling with a height less than or equal to 13.0 m	7.5 m	5.5 m and 4.5 m
	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	8.5 m	5.5 m and 4.5 m
	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	9.5 m	5.5 m and 4.5 m
	For that portion of the dwelling with a height greater than 26.0 m	10.5	5.5 m and 4.5 m
9.0	Minimum Interior Side Yard (West)		
9.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	Variable – adjacent to Little Etobicoke Creek
9.2	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	6.0 m	Variable – adjacent to Little Etobicoke Creek
9.3	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	7.5 m	Variable – adjacent to Little Etobicoke Creek
9.4	For that portion of the dwelling with a height greater than 26.0 m	9.0 m	Variable – adjacent to Little Etobicoke Creek
9.5	Where an interior side lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial,	4.5 m	N/A

	Zone Regulations	RA5	RA5-XX
		Base Zone Regulations	Proposed Zone Regulations
	Employment, or Utility Zone, or any		
	combination of zones thereof		
9.6	Where an interior lot line, or any portion	7.5 m plus 1.0 m for each additional 1.0 m of	N/A
	thereof, abuts a zone permitting	dwelling height, or portion thereof, exceeding	
	detached and/or semi-detached (0174-	10.0 m to a maximum setback requirement of	
	2017)	25.5 m	
10.0	Minimum Rear Yard (South)		(Internal Block A to Block C Condition)
	(Internal Block to Block Condition)	A	
10.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	3.0 m
10.2	For that portion of the dwelling with a height greater than 13.0 m and less	6.0 m	3.0 m
	than or equal to 20.0 m		
10.3	For that portion of the dwelling with a height greater than 20.0 m and less	7.5 m	6.0 m
	than or equal to 26.0 m		
10.4	For that portion of the dwelling with a	15.0 m	6.0 m
	height greater than 26.0 m		
10.5	Where an interior side lot line, or any	4.5 m	N/A
	portion thereof, abuts an Apartment,		
	Institutional, Office, Commercial,		
	Employment, or Utility Zone, or any		
	combination of zones thereof		

	Zone Regulations	RA5	RA5-XX
	Zone regulations	Base Zone Regulations	Proposed Zone Regulations
10.6	Where an interior lot line, or any portion	7.5 m plus 1.0 m for each additional 1.0 m of	N/A
	thereof, abuts a zone permitting	dwelling height, or portion thereof, exceeding	
	detached and/or semi-detached (0174-	10.0 m to a maximum setback requirement of	
	2017)	25.5 m	
11.0	Encroachments and Projections		
11.1	Maximum encroachment of a balcony	1.0 m	2.0 m
	located above the first storey, sunroom,		(Including entrance canopies)
	window, chimney, pilaster, cornice, balustrade or roof eaves into a required	A	
	yard (0325-2008), (0174-2017)		
11.2	Maximum encroachment into a required	1.8 m	3.0 m
	yard of a porch, balcony located on the first storey, staircase, landing or		
	awning, provided that each shall have a		
	maximum width of 6.0 m (0174-2017)		
11.3	Maximum projection of a balcony	1.0 m	3.0 m
	located above the first storey measured from the outermost face or faces of the		
	building from which the balcony		
	projects (0174-2017)		
12.0	Minimum Above Grade Separation Be		
12.1	For that portion of a dwelling with a	3.0 m	3.0 m
	height of 13.0 m or less		
12.2	For that portion of a dwelling with a	9.0 m	9.0 m
	height of 13.0 m – 20.0 m		
12.3	For that portion of a dwelling with a	12.0 m	12.0 m
	height of 20.0 m – 26.0 m		

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
12.4	For that portion of a dwelling with a	15.0 m	15.0
	height greater than 26.0 m		
13.0	Parking, Loading, Servicing Area and	Parking Structures	
13.1	Minimum parking spaces (Apartment Bui	ldings)	Vehicle parking spaces
	Table 3.1.2.1; Line 2.0		
	Studio	1.0 spaces/unit]
	One-bedroom	1.25 spaces/unit	Residents – 654
	Two-bedroom	1.40 spaces/unit	Visitor/Commercial – 167
	Three-bedroom	1.75 spaces/unit	Total – 821
	Visitor	0.20 spaces/unit	7
			1 "
	Retail Store	5.4 spaces/100 sq.m. GFA	1
13.2	Minimum setback from surface parking spaces or aisles to a street line	4.5 m	4.5 m
13.3	Minimum setback from surface parking spaces or aisles to any lot line	3.0 m	3.0 m
13.4	Minimum setback from a parking	7.5 m	7.5 m
	structure above or partially above		At grade parking is enclosed within the
	finished grade to any lot line		podium and not visible from the street
13.5	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to any lot line	3.0 m	2.9 m

	Zone Regulations	RA5	RA5-XX
		Base Zone Regulations	Proposed Zone Regulations
13.6	Minimum setback from a waste	10.0 m	N/A
	enclosure/loading area to a street line		All waste collection and loading facilities are
			enclosed within the buildings
13.7	Minimum setback from a waste	10.0 m	N/A
	enclosure/loading area to a zone		All waste collection and loading facilities are
	permitting detached and/or semi-		enclosed within the buildings
	detached dwellings		
14.0	CONDOMINIUM ROADS AND AISLES	(0181-2018/LPAT Order 2019 February 15)	
14.1	Condominium roads and aisles are	*Check*	N/A
	permitted to be shared with abutting		
	lands zoned to permit back to back and stacked townhouses, townhouses or		
	apartments, or any combination thereof		
	(0174-2017), (0181-2018/LPAT Order		
	2019 February 15)		
15.0	Minimum Landscaped Area, Landscap	and Buffer and Amenity Area	
15.1	Minimum landscaped area	40% of the lot area	00.004
		. –	32.2%
15.2	Minimum depth of a landscaped buffer	4.5 m	
	abutting a lot line that is a street line		0.0 m to a street line
	and/or abutting lands with an Open		(Landscaping provided in the Public Right of
	Space, Greenlands and/or a		way and interspersed planters on property)
	Residential Zone with the exception of		
	an Apartment Dwelling Zone		
15.3	Minimum depth of a landscaped buffer	3.0 m	3.0 m
	along any other lot line		

DRAFT November 2023

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
15.4	Minimum amenity area	The greater of 5.6 m2 per dwelling unit or 10% of the site area Req. Amenity – 2,509 m ²	Total Amenity provided – 6,020 m ²
15.5	Minimum percentage of total required amenity area to be provided in one contiguous area	50%	48% (1,207 m ²)
15.6	Minimum amenity area to be provided outside at grade	55.0 m ²	Notwithstanding 15.6, the minimum required outdoor amenity areas may be permitted above grade.
16.0	Accessory Buildings and Structures	N/A	N/A

<u>Table 2</u>
Block B: Existing and Proposed Zoning – C3-66 to OS1 (Park)

Zone Regulations		OS1 Base Zone Regulations	OS1 Proposed Zone Regulations
10.1	General Provisions for Greenlands Zones		
10.1.1	Accessory Uses in OS1 and OS2 Zor	nes	
10.1.1.1	Parking areas may be constructed of	a permeable type of material.	
10.1.1.2	Accessory uses in OS1 and OS2 zones shall include, but not be limited to, washroom/changeroom facility, shade structure, maintenance/storage building or structure or an office for a permitted use, and shall be permitted accessory to an active or passive recreational use. (0179-2018)		
	Permitted Uses		
2.0	OPEN SPACE	N/A	N/A
2.1	Passive Recreational Uses	Yes	Yes
2.2	Active Recreational Use	Yes	Yes
2.3	Stormwater Management Facility	Yes	Yes
2.4	Cemetery	No	N/A
3.0	Minimum Lot Frontage	0 m	0 m
4.0	Minimum Setback of a building or structure to a lot line (North and East)	4.5 m	4.5 m

	Zono Bogulations	OS1	OS1
	Zone Regulations	Base Zone Regulations	Proposed Zone Regulations
5.0	Minimum Setback of a building or	6.0 m	6.0 m
	structure to a lot line abutting a		
	residential zone (North)		
6.0	Maximum Building Height	N/A	N/A
7.0	Minimum Landscaped Buffer	N/A	N/A
	abutting all lot lines		

<u>Table 3</u> Block C: Existing and Proposed Zoning – C3-66 to RA5-XX

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
2.0	Permitted Use	Apartment	Apartment Dwelling
		Long-Term Care Building	Grade-related Retail Space
		Retirement Building	Community Uses
3.0	Minimum Lot Frontage	30.0 m	30.0 m
4.0	Minimum Floor Space Index	1.9	1.9
5.0	Maximum Floor Space Index	2.9	5.09
6.0	Maximum Gross Floor Area –	1000 m ²	Total GFA – 31,584 m2
	Apartment Zone per Storey for each		Retail – 955 m2
	Storey above 12-storeys		Community – 366 m2
		/ / N	Residential – 28,705 m2
7.0	Maximum Height	77.0 metres and 25-storeys	Building C1 35-storeys (116.0* metres) *excludes mechanical elements parapets and roof assemblies
8.0	Minimum Front and Exterior Side Yard	ds	(East and South)
	For that portion of the dwelling with a height less than or equal to 13.0 m	7.5 m	4.5 m and 4.2 m
	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	8.5 m	4.5 m and 4.2 m

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	9.5 m	7.5 m and 10.5 m
	For that portion of the dwelling with a height greater than 26.0 m	10.5	7.5 m and 17.3 m
9.0	Minimum Interior Side Yard (North)		
9.1	For that portion of the dwelling with a	4.5 m	4.5 m
	height less than or equal to 13.0 m		
9.2	For that portion of the dwelling with a	6.0 m	6.0 m
	height greater than 13.0 m and less		
	than or equal to 20.0 m		
9.3	For that portion of the dwelling with a	7.5 m	7.5 m
	height greater than 20.0 m and less		
	than or equal to 26.0 m		
9.4	For that portion of the dwelling with a	9.0 m	9.0 m
	height greater than 26.0 m		
9.5	Where an interior side lot line, or any	4.5 m	4.5 m
	portion thereof, abuts an Apartment,		
	Institutional, Office, Commercial,		
	Employment, or Utility Zone, or any		
	combination of zones thereof		
9.6	Where an interior lot line, or any portion	7.5 m plus 1.0 m for each additional 1.0 m of	N/A
	thereof, abuts a zone permitting	dwelling height, or portion thereof, exceeding	
	detached and/or semi-detached (0174-	10.0 m to a maximum setback requirement of	
	2017)	25.5 m	

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
10.0	Minimum Rear Yard (West)		
10.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	4.5 m
10.2	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	6.0 m	6.0 m
10.3	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	7.5 m	7.5 m
10.4	For that portion of the dwelling with a height greater than 26.0 m	15.0 m	15.0 m
10.5	Where an interior side lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial, Employment, or Utility Zone, or any combination of zones thereof	4.5 m	4.5 m
10.6	Where an interior lot line, or any portion thereof, abuts a zone permitting detached and/or semi-detached (0174-2017)	7.5 m plus 1.0 m for each additional 1.0 m of dwelling height, or portion thereof, exceeding 10.0 m to a maximum setback requirement of 25.5 m	N/A
11.0	Encroachments and Projections		
11.1	Maximum encroachment of a balcony located above the first storey, sunroom,	1.0 m	2.0 m (Including entrance canopies)

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
	window, chimney, pilaster, cornice, balustrade or roof eaves into a required yard (0325-2008), (0174-2017)		
11.2	Maximum encroachment into a required yard of a porch, balcony located on the first storey, staircase, landing or awning, provided that each shall have a maximum width of 6.0 m (0174-2017)	1.8 m	3.0 m
11.3	Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects (0174-2017)	1.0 m	3.0 m
12.0	Minimum Above Grade Separation Bet	tween Buildings	
12.1	For that portion of a dwelling with a height of 13.0 m or less	3.0 m	N/A – 1 Building on Block C
12.2	For that portion of a dwelling with a height of 13.0 m – 20.0 m	9.0 m	N/A – 1 Building on Block C
12.3	For that portion of a dwelling with a height of 20.0 m – 26.0 m	12.0 m	N/A – 1 Building on Block C
12.4	For that portion of a dwelling with a height greater than 26.0 m	15.0 m	N/A – 1 Building on Block C
13.0	Parking, Loading, Servicing Area and	Parking Structures	
13.1	Minimum parking spaces (Apartment Bui Table 3.1.2.1; Line 2.0	,	Vehicle parking spaces
	Studio	1.0 spaces/unit	

	Zana Dagulatiana	RA5	RA5-XX
	Zone Regulations	Base Zone Regulations	Proposed Zone Regulations
	One-bedroom	1.25 spaces/unit	Residents – 327
	Two-bedroom	1.40 spaces/unit	Visitor/Community – 65
	Three-bedroom	1.75 spaces/unit	Total – 392
	Visitor	0.20 spaces/unit	
	Minimum parking spaces (Community Co	entre)	
	Table 3.1.2.2; Line 9.0		
	Community Centre	4.5 spaces per/ 100 sq.m. GFA	
	Minimum parking spaces (Retail Store)		
	Table 3.1.2.2; Line 41.1		
	Retail Store	5.4 spaces/100 sq.m. GFA	
13.2	Minimum setback from surface parking	4.5 m	4.5 m
	spaces or aisles to a street line	/ / N	
13.3	Minimum setback from surface parking	3.0 m	3.0 m
	spaces or aisles to any lot line		
13.4	Minimum setback from a parking	7.5 m	N/A
	structure above or partially above		At grade parking is enclosed within the
	finished grade to any lot line		podium and not visible from the street
13.5	Minimum setback from a parking		
	structure completely below finished grade, inclusive of external access	3.0 m	3.0 m
	stairwells, to any lot line		
13.6	Minimum setback from a waste	10.0 m	N/A
	enclosure/loading area to a street line		All waste collection and loading facilities are
			enclosed within the buildings
13.7	Minimum setback from a waste	10.0 m	N/A
	enclosure/loading area to a zone		

Zone Regulations	RA5	RA5-XX
Lone Regulations	Base Zone Regulations	Proposed Zone Regulations
permitting detached and/or semi-		All waste collection and loading facilities are
detached dwellings		enclosed within the buildings
CONDOMINIUM ROADS AND AISLES	(0181-2018/LPAT Order 2019 February 15)	
Condominium roads and aisles are permitted to be shared with abutting lands zoned to permit back to back and stacked townhouses, townhouses or apartments, or any combination thereof (0174-2017), (0181-2018/LPAT Order 2019 February 15)	*Check*	N/A
Minimum Landscaped Area, Landscap	ped Buffer and Amenity Area	
Minimum landscaped area	40% of the lot area	40%
Minimum depth of a landscaped buffer abutting a lot line that is a street line and/or abutting lands with an Open Space, Greenlands and/or a Residential Zone with the exception of an Apartment Dwelling Zone	4.5 m	0.0 m to a street line (Landscaping provided in the Public Right of way and interspersed planters on property)
Minimum depth of a landscaped buffer along any other lot line	3.0 m	3.0
Minimum amenity area	The greater of 5.6 m2 per dwelling unit or 10% of the site area	Total Amenity provided – 2,419 m ²
	Condominium roads and aisles are permitted to be shared with abutting lands zoned to permit back to back and stacked townhouses, townhouses or apartments, or any combination thereof (0174-2017), (0181-2018/LPAT Order 2019 February 15) Minimum Landscaped Area, Landscaped Minimum landscaped area Minimum depth of a landscaped buffer abutting a lot line that is a street line and/or abutting lands with an Open Space, Greenlands and/or a Residential Zone with the exception of an Apartment Dwelling Zone Minimum depth of a landscaped buffer along any other lot line	permitting detached and/or semi- detached dwellings CONDOMINIUM ROADS AND AISLES (0181-2018/LPAT Order 2019 February 15) Condominium roads and aisles are permitted to be shared with abutting lands zoned to permit back to back and stacked townhouses, townhouses or apartments, or any combination thereof (0174-2017), (0181-2018/LPAT Order 2019 February 15) Minimum Landscaped Area, Landscaped Buffer and Amenity Area Minimum landscaped area Minimum depth of a landscaped buffer abutting a lot line that is a street line and/or abutting lands with an Open Space, Greenlands and/or a Residential Zone with the exception of an Apartment Dwelling Zone Minimum depth of a landscaped buffer along any other lot line Minimum amenity area The greater of 5.6 m2 per dwelling unit or

	Zone Regulations	RA5	RA5-XX
	Zone Regulations	Base Zone Regulations	Proposed Zone Regulations
15.5	Minimum percentage of total required	50%	45%
	amenity area to be provided in one		
	contiguous area		
15.6	Minimum amenity area to be provided outside at grade	55.0 m ²	Notwithstanding 15.6, the minimum required outdoor amenity areas may be permitted above grade.
16.0	Accessory Buildings and Structures	N/A	N/A



<u>Table 4</u> Block D: Existing and Proposed Zoning – C3-66 to G1

Zone Regulations		G1 Base Zone Regulations	G1 Proposed Zone Regulations
10.1	General Provisions for Greenlands	9	Froposed Zone Regulations
10.1.1	Accessory Uses in G1 and G2 Zones		
10.1.1.1	Trails are permitted accessory to natu		servation.
10.1.1.2	A passive recreational use is permitte		
10.1.1.3	· · · · · · · · · · · · · · · · · · ·		itage features and areas conservation
	to prevent encroachment of abutting land uses and to establish property boundaries.		
10.1.1.4	Parking areas are permitted accessory to natural heritage features and areas conservation and shall be		nd areas conservation and shall be
	constructed of a permeable type of m	aterial to minimize impacts on the na	tural environment.
	Permitted Uses		
2.0	GREENLANDS	N/A	N/A
2.1	Flood Control	Yes	Yes
2.2	Stormwater Management	Yes	Yes
2.3	Erosion Management	Yes	Yes
2.4	Natural Protection Area	N/A	N/A
2.5	Natural Heritage Features and	Yes	Yes
	Areas Conservation		

<u>Table 5</u> Block E: Existing and Proposed Zoning – C3-2 to RA5-XX

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
2.0	Permitted Use	Apartment	Apartment Dwelling
		Long-Term Care Building	Grade-related Retail Space
		Retirement Building	
3.0	Minimum Lot Frontage	30.0 m	30.0 m
4.0	Minimum Floor Space Index	1.9	1.9
5.0	Maximum Floor Space Index	2.9	3.41
6.0	Maximum Gross Floor Area –	1000 m ²	Total GFA – 43,545
	Apartment Zone per Storey for each		Retail – 2,086 m2
	Storey above 12-storeys	/ /\ H	Residential – 41,459 m2
7.0	Maximum Height	77.0 metres and 25-storeys	Building E1
			15-storeys (49.85 m) Building E2 18-storeys (59.15 m)
8.0	Minimum Front and Exterior Side Yard	ls	(North and east)
	For that portion of the dwelling with a height less than or equal to 13.0 m	7.5 m	7.5 m and 7.5 m
	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	8.5 m	7.5 m and 7.5 m

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	9.5 m	7.5 m and 7.5 m
	For that portion of the dwelling with a height greater than 26.0 m	10.5	7.5 m and 7.5 m
9.0	Minimum Interior Side Yard (West – M	attawa Ave)	
9.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	4.5 m
9.2	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	6.0 m	6.0 m
9.3	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	7.5 m	7.5 m
9.4	For that portion of the dwelling with a height greater than 26.0 m	9.0 m	9.0 m
9.5	Where an interior side lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial, Employment, or Utility Zone, or any combination of zones thereof	4.5 m	N/A
9.6	Where an interior lot line, or any portion thereof, abuts a zone permitting detached and/or semi-detached (0174-2017)	7.5 m plus 1.0 m for each additional 1.0 m of dwelling height, or portion thereof, exceeding 10.0 m to a maximum setback requirement of 25.5 m	N/A

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
10.0	Minimum Rear Yard (South)		
10.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	4.5 m
10.2	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	6.0 m	6.0 m
10.3	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	7.5 m	7.5 m
10.4	For that portion of the dwelling with a height greater than 26.0 m	15.0 m	15.0 m
10.5	Where an interior side lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial, Employment, or Utility Zone, or any combination of zones thereof	4.5 m	4.5 m
10.6	Where an interior lot line, or any portion thereof, abuts a zone permitting detached and/or semi-detached (0174-2017)	7.5 m plus 1.0 m for each additional 1.0 m of dwelling height, or portion thereof, exceeding 10.0 m to a maximum setback requirement of 25.5 m	N/A
11.0	Encroachments and Projections		
11.1	Maximum encroachment of a balcony located above the first storey, sunroom,	1.0 m	2.0 m (Including entrance canopies)

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
	window, chimney, pilaster, cornice, balustrade or roof eaves into a required yard (0325-2008), (0174-2017)		
11.2	Maximum encroachment into a required yard of a porch, balcony located on the first storey, staircase, landing or awning, provided that each shall have a maximum width of 6.0 m (0174-2017)	1.8 m	3.0 m
11.3	Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects (0174-2017)	1.0 m	3.0 m
12.0	Minimum Above Grade Separation Bet	tween Buildings	
12.1	For that portion of a dwelling with a height of 13.0 m or less	3.0 m	3.0 m
12.2	For that portion of a dwelling with a height of 13.0 m – 20.0 m	9.0 m	9.0 m
12.3	For that portion of a dwelling with a height of 20.0 m – 26.0 m	12.0 m	12.0 m
12.4	For that portion of a dwelling with a height greater than 26.0 m	15.0 m	12.0 m
13.0	Parking, Loading, Servicing Area and	Parking Structures	
13.1	Minimum parking spaces (Apartment Bui Table 3.1.2.1; Line 2.0		Vehicle parking spaces
	Studio	1.0 spaces/unit	

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
	One-bedroom	1.25 spaces/unit	Residents – 385
	Two-bedroom	1.40 spaces/unit	Visitor/Community – 77
	Three-bedroom	1.75 spaces/unit	Total – 462
	Visitor	0.20 spaces/unit	
	Minimum and in a second (Data il Otava)		-
	Minimum parking spaces (Retail Store) Table 3.1.2.2; Line 41.1		
	Retail Store	5.4 spaces/100 sq.m. GFA	
13.2	Minimum setback from surface parking spaces or aisles to a street line	4.5 m	4.5 m
13.3	Minimum setback from surface parking spaces or aisles to any lot line	3.0 m	3.0 m
13.4	Minimum setback from a parking structure above or partially above finished grade to any lot line	7.5 m	N/A At grade parking is enclosed within the podium and not visible from the street
13.5	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to any lot line	3.0 m	3.0 m
13.6	Minimum setback from a waste enclosure/loading area to a street line	10.0 m	N/A All waste collection and loading facilities are enclosed within the buildings
13.7	Minimum setback from a waste enclosure/loading area to a zone	10.0 m	N/A All waste collection and loading facilities are enclosed within the buildings

Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
permitting detached and/or semi-		
detached dwellings		
14.0 CONDOMINIUM ROADS AND AISLES ((0181-2018/LPAT Order 2019 February 15)	
14.1 Condominium roads and aisles are permitted to be shared with abutting lands zoned to permit back to back and stacked townhouses, townhouses or apartments, or any combination thereof (0174-2017), (0181-2018/LPAT Order 2019 February 15)	*Check*	N/A
15.0 Minimum Landscaped Area, Landscap	ed Buffer and Amenity Area	
15.1 Minimum landscaped area	40% of the lot area	40%
15.2 Minimum depth of a landscaped buffer abutting a lot line that is a street line and/or abutting lands with an Open Space, Greenlands and/or a Residential Zone with the exception of an Apartment Dwelling Zone	4.5 m	0.0 m to a street line (Landscaping provided in the Public Right of way and interspersed planters on property)
15.3 Minimum depth of a landscaped buffer along any other lot line	3.0 m	3.0 m
15.4 Minimum amenity area	The greater of 5.6 m2 per dwelling unit or 10% of the site area	Total Amenity provided – 3,780 m ²
		10% of the site area Req. Amenity – 2,884 m ²

	Zone Regulations	RA5	RA5-XX
	Zone Regulations	Base Zone Regulations	Proposed Zone Regulations
15.5	Minimum percentage of total required	50%	44%
	amenity area to be provided in one		1,282 m ²
	contiguous area		
15.6	Minimum amenity area to be provided outside at grade	55.0 m ²	Notwithstanding 15.6, the minimum required outdoor amenity areas may be permitted above grade.
16.0	Accessory Buildings and Structures	N/A	N/A



<u>Table 6</u> Block F: Existing and Proposed Zoning – C3-2 to RA5-XX

7 D		RA5	RA5-XX
	Zone Regulations	Base Zone Regulations	Proposed Zone Regulations
2.0	Permitted Use	ApartmentLong-Term Care BuildingRetirement Building	Apartment DwellingsBack to Back Townhouses
3.0	Minimum Lot Frontage	30.0 m	30.0 m
4.0	Minimum Floor Space Index	1.9	1.9
5.0	Maximum Floor Space Index	2.9	2.9
6.0	Maximum Gross Floor Area – Apartment	1000 m ²	Total GFA - 31,883 m2
	Zone per Storey for each Storey above		Residential – 31,199 m2
	12-storeys		Commercial – 634 m2
7.0	Maximum Height	77.0 metres and 25-storeys	Building F1 12-storeys (42.04* metres) Building F2 12-storeys (42.04* metres) Building F-TH1 10.5 metres – 3-storeys Building F-TH2 9.96 metres – 3-storeys *excludes mechanical elements parapets
			and roof assemblies

Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations	
3.0 Minimum Front and Exterior Side Yards (West and North)			
For that portion of the dwelling with a height less than or equal to 13.0 m	7.5 m	Building F1 and F2 4.5 m and 2.5 m; 4.5 m and N/A Building F-TH1 and F-TH2 N/A and 2.5 m; N/A and N/A	
For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	8.5 m	Building F1 and F2 4.5 m and 2.5 m; 7.5 m and N/A Building F-TH1 and F-TH2 N/A	
For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	9.5 m	Building F1 and F2 7.5 m and 9.0 m; 7.5 m and N/A Building F-TH1 and F-TH2 N/A	
For that portion of the dwelling with a height greater than 26.0 m	10.5	Building F1 and F2 7.5 m and 9.0 m; 7.5 m and N/A Building F-TH1 and F-TH2 N/A	
9.0			

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
	Minimum Interior Side Yard		(South)
9.1	For that portion of the dwelling with a height	4.5 m	Building F2
	less than or equal to 13.0 m		4.5 m
			Building F-TH1 and F-TH2 4.5 m
9.2	For that portion of the dwelling with a height	6.0 m	Building F2
	greater than 13.0 m and less than or equal to 20.0 m		6.0 m Building F-TH1 and F-TH2 N/A
9.3	For that portion of the dwelling with a height	7.5 m	Building F2
	greater than 20.0 m and less than or equal		7.5 m
	to 26.0 m		Building F-TH1 and F-TH2
			N/A
9.4	For that portion of the dwelling with a height	9.0 m	Building F2
	greater than 26.0 m		9.0 m
			Building F-TH1 and F-TH2
			N/A
9.5	Where an interior side lot line, or any	4.5 m	Building F2
	portion thereof, abuts an Apartment,		4.5 m
	Institutional, Office, Commercial,		
	Employment, or Utility Zone, or any		Building F-TH1 and F-TH2
	combination of zones thereof		N/A

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
9.6	Where an interior lot line, or any portion thereof, abuts a zone permitting detached and/or semi-detached (0174-2017)	7.5 m plus 1.0 m for each additional 1.0 m of dwelling height, or portion thereof, exceeding 10.0 m to a maximum setback requirement of 25.5 m	N/A
10.0	Minimum Rear Yard		(East)
10.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	Building F1 and F2 4.5 m Building F-TH1 and F-TH2 4.5 m
10.2	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	6.0 m	Building F1 and F2 6.0 m Building F-TH1 and F-TH2 N/A
10.3	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	7.5 m	Building F1 and F2 7.5 m Building F-TH1 and F-TH2 N/A
10.4	For that portion of the dwelling with a height greater than 26.0 m	15.0 m	Building F1 and F2 15.0 m Building F-TH1 and F-TH2 N/A

	Zana Bagulatiana	RA5	RA5-XX
	Zone Regulations	Base Zone Regulations	Proposed Zone Regulations
10.5	Where an interior side lot line, or any portion thereof, abuts an Apartment,	4.5 m	4.5 m
	Institutional, Office, Commercial,		Building F-TH1 and F-TH2
	Employment, or Utility Zone, or any		N/A
	combination of zones thereof		
10.6	Where an interior lot line, or any portion	7.5 m plus 1.0 m for each additional 1.0	7.5 m
	thereof, abuts a zone permitting detached	m of dwelling height, or portion thereof,	
	and/or semi-detached (0174-2017)	exceeding 10.0 m to a maximum setback	
		requirement of 25.5 m	
11.0	Encroachments and Projections		
11.1	Maximum encroachment of a balcony located above the first storey, sunroom, window, chimney, pilaster, cornice, balustrade or roof eaves into a required yard (0325-2008), (0174-2017)	1.0 m	1.5 m
11.2	Maximum encroachment into a required yard of a porch, balcony located on the first storey, staircase, landing or awning, provided that each shall have a maximum width of 6.0 m (0174-2017)	1.8 m	2.5 m
11.3	Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects (0174-2017)	1.0 m	1.5 m
12.0	Minimum Above Grade Separation Between Buildings		
12.1	For that portion of a dwelling with a height	3.0 m	3.0 m
	of 13.0 m or less		

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
12.2	For that portion of a dwelling with a height	9.0 m	9.0 m
	of 13.0 m – 20.0 m		
12.3	For that portion of a dwelling with a height	12.0 m	12.0 m
	of 20.0 m – 26.0 m		
12.4	For that portion of a dwelling with a height	15.0 m	15.0m
	greater than 26.0 m		
13.0	Parking, Loading, Servicing Area and Parl		
13.1	Minimum parking spaces (Apartment Building	gs)	
	Table 3.1.2.1; Line 2.0		
	Studio	1.0 spaces/unit	Vehicle parking spaces
	One-bedroom	1.25 spaces/unit	
	Two-bedroom	1.40 spaces/unit	
	Three-bedroom	1.75 spaces/unit	Residents – 348
	Visitor	0.20 spaces/unit	Visitor/Commercial – 57
	Minimum parking spaces (Retail Store)		Total – 405
	Table 3.1.2.2; Line 41.1		
	Retail Store	5.4 spaces/100 sq.m. GFA	
13.2	Minimum setback from surface parking	4.5 m	4.5 m
	spaces or aisles to a street line		
13.3	Minimum setback from surface parking	3.0 m	3.0 ,
	spaces or aisles to any lot line		
13.4	Minimum setback from a parking structure	7.5 m	N/A
	above or partially above finished grade to		At grade parking is enclosed within the
	any lot line		podium, below grade and not visible from the
			street

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
13.5	Minimum setback from a parking structure completely below finished grade, inclusive of external access stairwells, to any lot line	3.0 m	3.0 m
13.6	Minimum setback from a waste enclosure/loading area to a street line	10.0 m	N/A All waste collection and loading facilities are
13.7	Minimum setback from a waste	10.0 m	enclosed within the buildings N/A
	enclosure/loading area to a zone permitting detached and/or semi-detached dwellings		All waste collection and loading facilities are enclosed within the buildings
14.0	CONDOMINIUM ROADS AND AISLES (018	1-2018/LPAT Order 2019 February 15)	
14.1	Condominium roads and aisles are permitted to be shared with abutting lands zoned to permit back to back and stacked townhouses, townhouses or apartments, or any combination thereof (0174-2017), (0181-2018/LPAT Order 2019 February 15)	Yes	Yes
15.0	Minimum Landscaped Area, Landscaped B	Buffer and Amenity Area	
15.1	Minimum landscaped area	40% of the lot area	40%
15.2	Minimum depth of a landscaped buffer abutting a lot line that is a street line and/or abutting lands with an Open Space, Greenlands and/or a Residential Zone with	4.5 m	0.0 m to a street line - Mattawa (Landscaping provided in the Public Right of way and interspersed planters on property)
	the exception of an Apartment Dwelling Zone		4.5 metres abutting residential zone to the east
15.3	Minimum depth of a landscaped buffer along any other lot line	3.0 m	0.0

DRAFT November 2023

	Zone Regulations	RA5	RA5-XX
	Zone Regulations	Base Zone Regulations	Proposed Zone Regulations
15.4	Minimum amenity area	The greater of 5.6 m2 per dwelling unit or 10% of the site area Req. Amenity – 2,122.4 m ²	Total Amenity provided – 2,143 m ²
15.5	Minimum percentage of total required amenity area to be provided in one contiguous area	50%	50%
15.6	Minimum amenity area to be provided outside at grade	55.0 m ²	Notwithstanding 15.6, the minimum outdoor amenity requirements may be permitted above grade.
16.0	Accessory Buildings and Structures	N/A	N/A

<u>Table 7</u> Block G: Existing and Proposed Zoning – C3-2 to RA5-XX

Zone Regulations		RA5	RA5-XX
		Base Zone Regulations	Proposed Zone Regulations
2.0	Permitted Use	Apartment	Apartment Dwellings
		Long-Term Care Building	Back to Back Townhouses
		Retirement Building	Commercial
3.0	Minimum Lot Frontage	30.0 m	30.0 m
4.0	Minimum Floor Space Index	1.9	1.9
5.0	Maximum Floor Space Index	2.9	3.8
6.0	Maximum Gross Floor Area – Apartment	1000 m ²	Total GFA – 42,800 m2
	Zone per Storey for each Storey above		Residential – 42,800 m2
	12-storeys		
7.0	Maximum Height	77.0 metres and 25-storeys	Building G1 12-storey (41.36* metres) Building G2 18-storeys (60.4* metres) Building G-TH1 3-storeys (10.5 metres) *excludes mechanical elements parapets and roof assemblies
8.0	Minimum Front and Exterior Side Yards	l	(West and South)
	For that portion of the dwelling with a height	7.5 m	Building G1 and G2
	less than or equal to 13.0 m		4.5 m and N/A; 4.5 metres and 4.5 m

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
			Building G-TH1 N/A
	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	8.5 m	Building G1 and G2 4.5 m and N/A; 4.5 m and 4.5 m
			Building G-TH1 N/A
	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	9.5 m	Building G1 and G2 4.5 m and N/A; 4.5 m and 12.5 m Building G-TH1 N/A
	For that portion of the dwelling with a height greater than 26.0 m	10.5 m	Building G1 and G2 7.5 m and N/A m; 7.5 m and 12.5 m Building G-TH1 N/A
9.0	Minimum Interior Side Yard (North)		
9.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	Building G1 3.5 m

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
			Building G-TH1 3.5 m
9.2	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	6.0 m	Building G1 3.0 m Building G-TH1 N/A
9.3	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	7.5 m	Building G1 6.0 m Building G-TH1 N/A
9.4	For that portion of the dwelling with a height greater than 26.0 m	9.0 m	Building G1 9.0 m Building G-TH1 N/A
9.5	Where an interior side lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial, Employment, or Utility Zone, or any combination of zones thereof	4.5 m	Building G1 3.5 m Building G-TH1 3.5 m
9.6	Where an interior lot line, or any portion thereof, abuts a zone permitting detached and/or semi-detached (0174-2017)	7.5 m plus 1.0 m for each additional 1.0 m of dwelling height, or portion thereof, exceeding 10.0 m to a maximum setback requirement of 25.5 m	N/A
10.0	Minimum Rear Yard (East)		

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
10.1	For that portion of the dwelling with a height less than or equal to 13.0 m	4.5 m	Building G1 and G2 N/A and 4.0 m
			Building G-TH1 4.5 m
10.2	For that portion of the dwelling with a height greater than 13.0 m and less than or equal to 20.0 m	6.0 m	Building G1 and G2 N/A and 4.0 m
			Building G-TH1 N/A
10.3	For that portion of the dwelling with a height greater than 20.0 m and less than or equal to 26.0 m	7.5 m	Building G1 and G2 N/A 7.5 m Building G-TH1 N/A
10.4	For that portion of the dwelling with a height greater than 26.0 m	15.0 m	Building G1 and G2 10.0 m Building G-TH1 N/A
10.5	Where an interior side lot line, or any portion thereof, abuts an Apartment, Institutional, Office, Commercial, Employment, or Utility Zone, or any combination of zones thereof	4.5 m	Building G1 and G2 N/A and 4.5 m Building G-TH1 4.5 m

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
10.6	Where an interior lot line, or any portion thereof, abuts a zone permitting detached and/or semi-detached (0174-2017)	7.5 m plus 1.0 m for each additional 1.0 m of dwelling height, or portion thereof, exceeding 10.0 m to a maximum setback requirement of 25.5 m	7.5 m
11.0	Encroachments and Projections		
11.1	Maximum encroachment of a balcony located above the first storey, sunroom, window, chimney, pilaster, cornice, balustrade or roof eaves into a required yard (0325-2008), (0174-2017)	1.0 m	2.0m
11.2	Maximum encroachment into a required yard of a porch, balcony located on the first storey, staircase, landing or awning, provided that each shall have a maximum width of 6.0 m (0174-2017)	1.8 m	3.0m
11.3	Maximum projection of a balcony located above the first storey measured from the outermost face or faces of the building from which the balcony projects (0174-2017)	1.0 m	2.0m
12.0	Minimum Above Grade Separation Between	n Buildings	
12.1	For that portion of a dwelling with a height of 13.0 m or less	3.0 m	3.0 m
12.2	For that portion of a dwelling with a height of 13.0 m – 20.0 m	9.0 m	9.0 m
12.3	For that portion of a dwelling with a height of 20.0 m – 26.0 m	12.0 m	12.0 m

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
12.4	For that portion of a dwelling with a height	15.0 m	15.0 m
	greater than 26.0 m		
13.0	Parking, Loading, Servicing Area and Park	king Structures	
13.1	Minimum parking spaces (Apartment Building	gs)	Vehicle parking spaces
	Table 3.1.2.1; Line 2.0		verlicle parking spaces
	Studio	1.0 spaces/unit	
	One-bedroom	1.25 spaces/unit	Residents – 296
	Two-bedroom	1.40 spaces/unit	Visitor/Commercial – 77
	Three-bedroom	1.75 spaces/unit	Total – 373
	Visitor	0.20 spaces/unit	1944 - 575
13.2	Minimum setback from surface parking	4.5 m	4.5 m
	spaces or aisles to a street line		
13.3	Minimum setback from surface parking	3.0 m	3.0 m
	spaces or aisles to any lot line		
13.4	Minimum setback from a parking structure	7.5 m	N/A
	above or partially above finished grade to		At grade parking is enclosed within the
	any lot line		podium, below grade and not visible from the
			street
13.5	Minimum setback from a parking structure	3.0 m	3.0 m
	completely below finished grade, inclusive		
13.6	of external access stairwells, to any lot line Minimum setback from a waste	10.0 m	N/A
10.0	enclosure/loading area to a street line	10.0 111	All waste collection and loading facilities are
	and to a direct line		
			enclosed within the buildings

	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
13.7	Minimum setback from a waste	10.0 m	N/A
	enclosure/loading area to a zone permitting		All waste collection and loading facilities are
	detached and/or semi-detached dwellings		enclosed within the buildings
14.0	CONDOMINIUM ROADS AND AISLES (018	1-2018/LPAT Order 2019 February 15)	
14.1	Condominium roads and aisles are permitted to be shared with abutting lands zoned to permit back to back and stacked townhouses, townhouses or apartments, or any combination thereof (0174-2017), (0181-2018/LPAT Order 2019 February 15)	Yes	Yes
15.0	5.0 Minimum Landscaped Area, Landscaped Buffer and Amenity Area		
15.1	Minimum landscaped area	40% of the lot area	40 %
15.2	Minimum depth of a landscaped buffer	4.5 m	0.0 m to a street line - Mattawa
	abutting a lot line that is a street line and/or		(Landscaping provided in the Public Right of
	abutting lands with an Open Space,		way and interspersed planters on property)
	Greenlands and/or a Residential Zone with		
	the exception of an Apartment Dwelling		4.5 m landscape buffer along east lot line
	Zone		4.3 m landscape buffer along south lot line
15.3	Minimum depth of a landscaped buffer	3.0 m	N/A
	along any other lot line		
15.4	Minimum amenity area	The greater of 5.6 m2 per dwelling unit or	Total Amenity provided – 3,681 m ²
		10% of the site area	
		Req. Amenity – 2,878.4 m ²	


DRAFT November 2023


	Zone Regulations	RA5 Base Zone Regulations	RA5-XX Proposed Zone Regulations
15.5	Minimum percentage of total required	50%	50% (1,813 m2 provided)
	amenity area to be provided in one		
	contiguous area		
15.6	Minimum amenity area to be provided	55.0 m ²	N/A
	outside at grade		
			Notwithstanding 15.6, the minimum outdoor
			amenity requirements may be permitted
		A	above grade.
16.0	Accessory Buildings and Structures	N/A	N/A



<u>Table 8</u> Block H: Existing and Proposed Zoning – C3-66 to G1

Zone Regulations		G1 Base Zone Regulations	G1 Proposed Zone Regulations	
10.1	General Provisions for Greenlands Zones			
10.1.1	Accessory Uses in G1 and G2 Zones	Accessory Uses in G1 and G2 Zones		
10.1.1.1	Trails are permitted accessory to natu	ural heritage features and areas cons	ervation.	
10.1.1.2	A passive recreational use is permitte	ed accessory to a stormwater manage	ement facility.	
10.1.1.3	A fence is permitted accessory to a natural protection area and natural heritage features and areas conservation to prevent encroachment of abutting land uses and to establish property boundaries.			
10.1.1.4				
	Permitted Uses			
2.0	GREENLANDS	N/A	N/A	
2.1	Flood Control	Yes	Yes	
2.2	Stormwater Management	Yes	Yes	
2.3	Erosion Management	Yes	Yes	
2.4	Natural Protection Area	N/A	N/A	
2.5	Natural Heritage Features and	Yes	Yes	
	Areas Conservation			





CONTEXT PLAN



Property Boundary Zoning Boundary Road Widening Future Road Expansion



PARTS OF LOTS 3 AND 4 CONCESSION 1, SOUTH OF DUNDAS STREET CITY OF MISSISSAUGA, REGIONAL MUNCIPALITY OF PEEL


THIS IS SCHEDULE "B" TO ZONING BY-LAW AMENDMENT NO. XXX




NOT TO SCALE

CITY OF MISSISSAUGA, REGIONAL MUNCIPALITY OF PEEL

THIS IS SCHEDULE "B-1" TO ZONING BY-LAW AMENDMENT NO. XXX




NOT TO SCALE




THIS IS SCHEDULE "B-3" TO ZONING BY-LAW

AMENDMENT NO. XXX







Property BoundaryZoning BoundaryRoad WideningFuture Road Expansion



PARTS OF LOTS 3 AND 4
CONCESSION 1, SOUTH OF DUNDAS STREET
CITY OF MISSISSAUGA, REGIONAL
MUNCIPALITY OF PEEL

THIS IS SCHEDULE "B-5" TO ZONING BY-LAW AMENDMENT NO. XXX