



TYPICAL PARKING SPACE ACCESSIBLE PARKING SPACE (TYPE B) FOR FOR ACCESSIBLE PARKING SPACE (TYPE B) FOR ACCESSIBLE PARKING

TYPICAL ACCESSIBLE PARKING SIGNAGE



STANDARD CURB RAMP



PARKING & BICYCLE STALLS



FIRE DEPARTMENT CONNECTION SIGNAGE

FDC signs shall be visible from the street or fire route to the approaching fire department. Signs shall be "FIRE DEPARTMENT STANDPIPE CONNECTION" in 50 mm high (minimum) letters. Signs shall be a reflective White Background with reflective red lettering. (see sample sign below)
 Sign shall be installed above the connection a minimum of 2.1 metres to 2.7 metres above grade to the bottom of the sign. (sign required to be installed above vehicles that may obstruct view of the sign from responding fire department).
 Free-standing Fire Department Connections shall be identified with an approved sign mounted on a post. Sign shall be installed 1.8 metres minimum to bottom of sign.

CONNECTION SIGNAGE (FDC)

No. DATE ISSUED

105 DEC 2024 ISSUED FOR REZONING

105 DEC 2024 ISSUED



one team. **one** vision.

onespace unlimited inc. architecture + interior design 3700 STEELES AVE WEST. SUITE 305.

VAUGHAN, ONTARIO L4L 8K8 TEL: (416) 848-1245 FAX: (416)

848-1246 WWW.ONESPACEUNLIMITED.COM

No. Date Revision

ALL DRAWINGS ARE THE PROPERTY OF ONESPACE AND THEY ARE NOT TO BE REPRODUCED IN WHOLE OR IN PART WITHOUT WRITTEN CONSENT FROI ONESPACE.

DRAWINGS ARE INTENDED TO CONVEY SCOPE OF WORK AND INDICATE GENERAL AND APPROXIMATE LOCATION, ARRANGEMENT AND SIZES OF MATERIALS AND PRODUCTS.

ALL CONSTRUCTION TO BE ACCORDING TO BEST COMMON PRACTICE AND CONFORM TO THE ONTARIO BUILDING CODE IN EFFECT AT THE TIME.

PRE-APPLICATION MEETING NO. DARC 24-30

Forest Glen Shopping Centre Ltd. 3427 Fieldgate Dr., Mississauga ON, L4X 2J4

3403-3445 Fieldgate Drive Mississauga, ON

DRAWING

Site Plan Typical Details

PROJECT NUMBER

23063

05 DEC 2024

SCALE

PLOTTED DATE

1:50

2024-12-05 2:03:34 PM